

Differentiate w.r.t. 'x'

### Question # 1

$$x^4 + 2x^3 + x^2$$

**Solution** Let  $y = x^4 + 2x^3 + x^2$

Differentiating w.r.t.  $x$

$$\begin{aligned}\frac{dy}{dx} &= \frac{d}{dx}(x^4 + 2x^3 + x^2) \\ &= \frac{d}{dx}x^4 + 2\frac{d}{dx}x^3 + \frac{d}{dx}x^2 \\ &= 4x^{4-1} + 2(3x^{3-1}) + 2x^{2-1} \\ &= 4x^3 + 6x^2 + 2x\end{aligned}$$

### Question # 2

$$x^{-3} + 2x^{-\frac{3}{2}} + 3$$

**Solution** Let  $y = x^{-3} + 2x^{-\frac{3}{2}} + 3$

Diff. w.r.t  $x$

$$\begin{aligned}\frac{dy}{dx} &= \frac{d}{dx}\left(x^{-3} + 2x^{-\frac{3}{2}} + 3\right) \\ &= \frac{d}{dx}x^{-3} + 2\frac{d}{dx}x^{-\frac{3}{2}} + \frac{d}{dx}(3) \\ &= -3x^{-3-1} + 2\left(-\frac{3}{2}x^{-\frac{3}{2}-1}\right) + 0 \\ \Rightarrow \frac{dy}{dx} &= -3x^{-4} - 3x^{-\frac{5}{2}} \\ \text{or } \frac{dy}{dx} &= -3\left(\frac{1}{x^4} + \frac{1}{x^{5/2}}\right)\end{aligned}$$

### Question # 3

$$\frac{a+x}{a-x}$$

**Solution** Let  $y = \frac{a+x}{a-x}$

$$\begin{aligned}\text{Now } \frac{dy}{dx} &= \frac{d}{dx}\left(\frac{a+x}{a-x}\right) = \frac{(a-x)\frac{d}{dx}(a+x) - (a+x)\frac{d}{dx}(a-x)}{(a-x)^2} \\ &= \frac{(a-x)(0+1) - (a+x)(0-1)}{(a-x)^2}\end{aligned}$$

$$\begin{aligned}
 &= \frac{(a-x)(1) - (a+x)(-1)}{(a-x)^2} \\
 &= \frac{a-x+a+x}{(a-x)^2} = \frac{2a}{(a-x)^2} \quad \text{Answer}
 \end{aligned}$$


---

**Question # 4**

$$\frac{2x-3}{2x+1}$$

**Solution** Let  $y = \frac{2x-3}{2x+1}$

$$\begin{aligned}
 \text{Now } \frac{dy}{dx} &= \frac{d}{dx} \left( \frac{2x-3}{2x+1} \right) \\
 &= \frac{(2x+1)\frac{d}{dx}(2x-3) - (2x-3)\frac{d}{dx}(2x+1)}{(2x+1)^2} \\
 &= \frac{(2x+1)(2-0) - (2x-3)(2+0)}{(2x+1)^2} \\
 &= \frac{(2x+1)(2) - (2x-3)(2)}{(2x+1)^2} \\
 &= \frac{2(2x+1-2x+3)}{(2x+1)^2} \\
 &= \frac{2(4)}{(2x+1)^2} = \frac{8}{(2x+1)^2} \quad \text{Answer}
 \end{aligned}$$


---

**Question # 5**

$$(x-5)(3-x)$$

$$\begin{aligned}
 \text{Solution} \quad \text{Let } y &= (x-5)(3-x) \\
 &= 3x - x^2 - 15 + 5x \\
 &= -x^2 + 8x - 15
 \end{aligned}$$

Now

$$\begin{aligned}
 \frac{dy}{dx} &= \frac{dy}{dx}(-x^2 + 8x - 15) \\
 &= \frac{dy}{dx}(-x^2) + 8 \frac{d}{dx}(x) - \frac{d}{dx}(15) \\
 &= -2x^{2-1} + 8(1) - 0 = -2x + 8 \quad \text{Answer}
 \end{aligned}$$


---

**Question # 6**

$$\left( \sqrt{x} - \frac{1}{\sqrt{x}} \right)^2$$

**Solution** Let  $y = \left( \sqrt{x} - \frac{1}{\sqrt{x}} \right)^2$

$$\begin{aligned} &= (\sqrt{x})^2 + \left( \frac{1}{\sqrt{x}} \right)^2 - 2(\sqrt{x})\left( \frac{1}{\sqrt{x}} \right) \\ &= x + \frac{1}{x} - 2 = x + x^{-1} - 2 \end{aligned}$$

Now diff. w.r.t  $x$

$$\begin{aligned} \frac{dy}{dx} &= \frac{d}{dx}(x + x^{-1} - 2) = \frac{d}{dx}(x) + \frac{d}{dx}(x^{-1}) - \frac{d}{dx}(2) \\ &= 1 + (-1 \cdot x^{-1-1}) - 0 = 1 - x^{-2} \\ &= 1 - \frac{1}{x^2} = \frac{x^2 - 1}{x^2} \quad \text{Answer} \end{aligned}$$


---

### Question # 7

$$\begin{aligned} \text{Consider } y &= \frac{(1+\sqrt{x})(x-x^{3/2})}{\sqrt{x}} \\ &= \frac{(1+\sqrt{x})x\left(1-x^{\frac{1}{2}}\right)}{\sqrt{x}} \\ &= \frac{x(1+\sqrt{x})(1-\sqrt{x})}{\sqrt{x}} \quad \text{Since } x^{\frac{3}{2}} = x^{\frac{1+1}{2}} \\ &= \frac{(\sqrt{x})^2\left(1-(\sqrt{x})^2\right)}{\sqrt{x}} \\ &= \sqrt{x}(1-x) = x^{\frac{1}{2}}(1-x) = x^{\frac{1}{2}} - x^{\frac{3}{2}} \end{aligned}$$

Now

$$\begin{aligned} \frac{dy}{dx} &= \frac{d}{dx}\left(x^{\frac{1}{2}} - x^{\frac{3}{2}}\right) \\ &= \frac{1}{2}x^{\frac{1}{2}-1} - \frac{3}{2}x^{\frac{3}{2}-1} \\ &= \frac{1}{2}x^{-\frac{1}{2}} - \frac{3}{2}x^{\frac{1}{2}} \\ &= \frac{1}{2}\left(\frac{1}{\sqrt{x}} - 3\sqrt{x}\right) \quad \text{Answer} \end{aligned}$$


---

**Question # 8**

$$\frac{(x^2 + 1)^2}{x^2 - 1}$$

**Solution** Let  $y = \frac{(x^2 + 1)^2}{x^2 - 1}$

Differentiating w.r.t.  $x$

$$\begin{aligned} \frac{dy}{dx} &= \frac{d}{dx} \left( \frac{(x^2 + 1)^2}{x^2 - 1} \right) \\ &= \frac{(x^2 - 1) \frac{d}{dx}(x^2 + 1)^2 - (x^2 + 1)^2 \frac{d}{dx}(x^2 - 1)}{(x^2 - 1)^2} \\ \Rightarrow \frac{dy}{dx} &= \frac{(x^2 - 1) 2(x^2 + 1)^{2-1} \frac{d}{dx}(x^2 + 1) - (x^2 + 1)^2 (2x)}{(x^2 - 1)^2} \\ &= \frac{(x^2 - 1) 2(x^2 + 1)(2x) - (x^2 + 1)^2 (2x)}{(x^2 - 1)^2} \\ &= \frac{2x(x^2 + 1)[2(x^2 - 1) - (x^2 + 1)]}{(x^2 - 1)^2} \\ &= \frac{2x(x^2 + 1)[2x^2 - 2 - x^2 - 1]}{(x^2 - 1)^2} \\ &= \frac{2x(x^2 + 1)(x^2 - 3)}{(x^2 - 1)^2} \quad \text{Answer} \end{aligned}$$

**Question # 9**

$$\frac{x^2 + 1}{x^2 - 3}$$

**Solution** Let  $y = \frac{x^2 + 1}{x^2 - 3}$

Differentiating w.r.t.  $x$

$$\begin{aligned} \frac{dy}{dx} &= \frac{d}{dx} \left( \frac{x^2 + 1}{x^2 - 3} \right) \\ &= \frac{(x^2 - 3) \frac{d}{dx}(x^2 + 1) - (x^2 + 1) \frac{d}{dx}(x^2 - 3)}{(x^2 - 3)^2} \end{aligned}$$

$$\begin{aligned}
 &= \frac{(x^2 - 3)(2x) - (x^2 + 1)(2x)}{(x^2 - 3)^2} = \frac{2x(x^2 - 3 - x^2 - 1)}{(x^2 - 3)^2} \\
 &= \frac{2x(-4)}{(x^2 - 3)^2} = \frac{-8x}{(x^2 - 3)^2} \quad \text{Answer}
 \end{aligned}$$


---

**Question # 10**

$$\frac{\sqrt{1+x}}{\sqrt{1-x}}$$

**Solution** Let  $y = \frac{\sqrt{1+x}}{\sqrt{1-x}} = \left(\frac{1+x}{1-x}\right)^{1/2}$

$$\begin{aligned}
 \text{Now } \frac{dy}{dx} &= \frac{d}{dx} \left( \frac{1+x}{1-x} \right)^{1/2} \\
 &= \frac{1}{2} \left( \frac{1+x}{1-x} \right)^{\frac{1}{2}-1} \frac{d}{dx} \left( \frac{1+x}{1-x} \right) \\
 &= \frac{1}{2} \left( \frac{1+x}{1-x} \right)^{-\frac{1}{2}} \left( \frac{(1-x)\frac{d}{dx}(1+x) - (1+x)\frac{d}{dx}(1-x)}{(1-x)^2} \right) \\
 &= \frac{1}{2} \left( \frac{1-x}{1+x} \right)^{\frac{1}{2}} \left( \frac{(1-x)(1) - (1+x)(-1)}{(1-x)^2} \right) \\
 &= \frac{1}{2} \left( \frac{1-x}{1+x} \right)^{\frac{1}{2}} \left( \frac{1-x+1+x}{(1-x)^2} \right) = \frac{(1-x)^{\frac{1}{2}}}{2(1+x)^{\frac{1}{2}}} \left( \frac{2}{(1-x)^2} \right) \\
 &= \frac{1}{(1+x)^{\frac{1}{2}}(1-x)^{2-\frac{1}{2}}} = \frac{1}{\sqrt{1+x}(1-x)^{\frac{3}{2}}} \quad \text{Answer}
 \end{aligned}$$


---

**Question # 11**

$$\frac{2x-1}{\sqrt{x^2+1}}$$

**Solution** Let  $y = \frac{2x-1}{\sqrt{x^2+1}}$

Differentiating w.r.t.  $x$

$$\begin{aligned}
 \frac{dy}{dx} &= \frac{d}{dx} \left( \frac{2x-1}{(x^2+1)^{1/2}} \right) \\
 &= \frac{(x^2+1)^{1/2} \frac{d}{dx}(2x-1) - (2x-1) \frac{d}{dx}(x^2+1)^{1/2}}{\left( (x^2+1)^{1/2} \right)^2}
 \end{aligned}$$

$$\begin{aligned}
&= \frac{(x^2+1)^{1/2} (2) - (2x-1) \frac{1}{2}(x^2+1)^{-1/2} \frac{d}{dx}(x^2+1)}{(x^2+1)} \\
&= \frac{2(x^2+1)^{1/2} - (2x-1) \frac{1}{2(x^2+1)^{1/2}}(2x)}{(x^2+1)} \\
&= \frac{1}{(x^2+1)} \left( 2(x^2+1)^{1/2} - \frac{2x^2-x}{(x^2+1)^{1/2}} \right) \\
&= \frac{1}{(x^2+1)} \left( \frac{2x^2+2-2x^2+x}{(x^2+1)^{1/2}} \right) \\
&= \frac{x+2}{(x^2+1)\sqrt{x^2+1}} \quad \text{or} \quad \frac{x+2}{(x^2+1)^{3/2}} \quad \text{Answer}
\end{aligned}$$


---

**Question # 12**

$$\frac{\sqrt{a-x}}{\sqrt{a+x}}$$

**Solution***Do yourself as Question # 10***Question # 13**

$$\frac{\sqrt{x^2+1}}{\sqrt{x^2-1}}$$

$$\begin{aligned}
\text{Solution} \quad \text{Let } y &= \frac{\sqrt{x^2+1}}{\sqrt{x^2-1}} \\
&= \left( \frac{x^2+1}{x^2-1} \right)^{\frac{1}{2}}
\end{aligned}$$

Differentiating w.r.t  $x$ .

$$\begin{aligned}
\frac{dy}{dx} &= \frac{d}{dx} \left( \frac{x^2+1}{x^2-1} \right)^{\frac{1}{2}} \\
&= \frac{1}{2} \left( \frac{x^2+1}{x^2-1} \right)^{-\frac{1}{2}} \frac{d}{dx} \left( \frac{x^2+1}{x^2-1} \right)
\end{aligned}$$

$$\begin{aligned}
&= \frac{1}{2} \left( \frac{x^2 - 1}{x^2 + 1} \right)^{\frac{1}{2}} \left( \frac{(x^2 - 1)(2x) - (x^2 + 1)(2x)}{(x^2 - 1)^2} \right) \\
&= \frac{1}{2} \frac{\sqrt{x^2 - 1}}{\sqrt{x^2 + 1}} \left( \frac{2x^3 - 2x - 2x^3 - 2x}{(x^2 - 1)^2} \right) \\
&= \frac{1}{2} \frac{\sqrt{x^2 - 1}}{\sqrt{x^2 + 1}} \left( \frac{-4x}{(x^2 - 1)^2} \right) \\
&= \frac{-2\sqrt{x^2 - 1}}{(x^2 - 1)^2 \sqrt{x^2 + 1}} = \frac{-2}{(x^2 - 1)^{\frac{2-1}{2}} \sqrt{x^2 + 1}} \\
&= \frac{-2}{(x^2 - 1)^{\frac{1}{2}} \sqrt{x^2 + 1}} \quad \text{Answer}
\end{aligned}$$

**Question # 14**

$$\frac{\sqrt{1+x} - \sqrt{1-x}}{\sqrt{1+x} + \sqrt{1-x}}$$

**Solution** Assume  $y = \frac{\sqrt{1+x} - \sqrt{1-x}}{\sqrt{1+x} + \sqrt{1-x}}$

$$\begin{aligned}
&= \frac{\sqrt{1+x} - \sqrt{1-x}}{\sqrt{1+x} + \sqrt{1-x}} \cdot \frac{\sqrt{1+x} - \sqrt{1-x}}{\sqrt{1+x} - \sqrt{1-x}} \quad \text{Rationalizing} \\
&= \frac{(\sqrt{1+x} - \sqrt{1-x})^2}{(\sqrt{1+x})^2 - (\sqrt{1-x})^2} \\
&= \frac{(\sqrt{1+x})^2 + (\sqrt{1-x})^2 - 2(\sqrt{1+x})(\sqrt{1-x})}{1+x-1+x} \\
&= \frac{1+x+1-x-2\sqrt{(1+x)(1-x)}}{2x} \\
&= \frac{2-2\sqrt{1-x^2}}{2x} = \frac{2\left(1-(1-x^2)^{\frac{1}{2}}\right)}{2x} \\
&= \frac{1-(1-x^2)^{\frac{1}{2}}}{x}
\end{aligned}$$

Now differentiation w.r.t  $x$

$$\begin{aligned}
\frac{dy}{dx} &= \frac{d}{dx} \left( \frac{1 - (1-x^2)^{\frac{1}{2}}}{x} \right) \\
&= \frac{x \frac{d}{dx} \left( 1 - (1-x^2)^{\frac{1}{2}} \right) - \left( 1 - (1-x^2)^{\frac{1}{2}} \right) \frac{d}{dx} x}{x^2} \\
&= \frac{1}{x^2} \cdot \left[ x \left( 0 - \frac{1}{2} (1-x^2)^{\frac{1}{2}-1} \frac{d}{dx} (1-x^2) \right) - \left( 1 - (1-x^2)^{\frac{1}{2}} \right) (1) \right] \\
&= \frac{1}{x^2} \cdot \left[ x \left( -\frac{1}{2} (1-x^2)^{-\frac{1}{2}} (-2x) \right) - 1 + (1-x^2)^{\frac{1}{2}} \right] \\
&= \frac{1}{x^2} \cdot \left[ \frac{x^2}{(1-x^2)^{\frac{1}{2}}} - 1 + (1-x^2)^{\frac{1}{2}} \right] = \frac{1}{x^2} \cdot \left[ \frac{x^2 - (1-x^2)^{\frac{1}{2}} + 1 - x^2}{(1-x^2)^{\frac{1}{2}}} \right] \\
&= \frac{1}{x^2} \cdot \left[ \frac{1 - (1-x^2)^{\frac{1}{2}}}{(1-x^2)^{\frac{1}{2}}} \right] = \frac{1 - \sqrt{1-x^2}}{x^2 \sqrt{1-x^2}} \quad \text{Answer}
\end{aligned}$$

**Question # 15**

$$\frac{x\sqrt{a+x}}{\sqrt{a-x}}$$

**Solution** Let  $y = \frac{x\sqrt{a+x}}{\sqrt{a-x}} = x \left( \frac{a+x}{a-x} \right)^{\frac{1}{2}}$

Diff. w.r.t.  $x$

$$\begin{aligned}
\frac{dy}{dx} &= \frac{d}{dx} x \left( \frac{a+x}{a-x} \right)^{\frac{1}{2}} \\
&= x \frac{d}{dx} \left( \frac{a+x}{a-x} \right)^{\frac{1}{2}} + \left( \frac{a+x}{a-x} \right)^{\frac{1}{2}} \frac{d}{dx} x \quad \dots \dots \dots \text{(i)}
\end{aligned}$$

$$\begin{aligned}
\text{Now } \frac{d}{dx} \left( \frac{a+x}{a-x} \right)^{\frac{1}{2}} &= \frac{1}{2} \left( \frac{a+x}{a-x} \right)^{\frac{1}{2}-1} \frac{d}{dx} \left( \frac{a+x}{a-x} \right) \\
&= \frac{1}{2} \left( \frac{a+x}{a-x} \right)^{-\frac{1}{2}} \left( \frac{(a-x) \frac{d}{dx}(a+x) - (a+x) \frac{d}{dx}(a-x)}{(a-x)^2} \right) \\
&= \frac{1}{2} \left( \frac{a-x}{a+x} \right)^{\frac{1}{2}} \left( \frac{(a-x)(1) - (a+x)(-1)}{(a-x)^2} \right)
\end{aligned}$$

$$\begin{aligned}
&= \frac{1}{2} \frac{(a-x)^{\frac{1}{2}}}{(a+x)^{\frac{1}{2}}} \left( \frac{a-x+a+x}{(a-x)^2} \right) = \frac{1}{2} \frac{1}{(a+x)^{\frac{1}{2}}(a-x)^{-\frac{1}{2}}} \cdot \left( \frac{2a}{(a-x)^2} \right) \\
&= \frac{a}{(a+x)^{\frac{1}{2}}(a-x)^{2-\frac{1}{2}}} = \frac{a}{(a+x)^{\frac{1}{2}}(a-x)^{\frac{3}{2}}}
\end{aligned}$$

Using in eq. (i)

$$\begin{aligned}
\frac{dy}{dx} &= x \cdot \frac{a}{(a+x)^{\frac{1}{2}}(a-x)^{\frac{3}{2}}} + \left( \frac{a+x}{a-x} \right)^{\frac{1}{2}} \quad (1) \\
&= \frac{ax}{(a+x)^{\frac{1}{2}}(a-x)^{\frac{3}{2}}} + \frac{(a+x)^{\frac{1}{2}}}{(a-x)^{\frac{1}{2}}} \\
&= \frac{ax + (a+x)(a-x)}{(a+x)^{\frac{1}{2}}(a-x)^{\frac{3}{2}}} = \frac{ax + a^2 - x^2}{\sqrt{a+x}(a-x)^{\frac{3}{2}}} \quad \text{Answer}
\end{aligned}$$


---

### Question # 16

If  $y = \sqrt{x} - \frac{1}{\sqrt{x}}$ , show that  $2x \frac{dy}{dx} + y = 2\sqrt{x}$

**Solution** Since  $y = \sqrt{x} - \frac{1}{\sqrt{x}}$

$$\begin{aligned}
&= x^{\frac{1}{2}} - x^{-\frac{1}{2}} \\
&= x^{\frac{1}{2}} - x^{-\frac{1}{2}}
\end{aligned}$$

Diff. w.r.t.  $x$

$$\begin{aligned}
\frac{dy}{dx} &= \frac{d}{dx} \left( x^{\frac{1}{2}} - x^{-\frac{1}{2}} \right) \\
&= \frac{1}{2} x^{-\frac{1}{2}} + \frac{1}{2} x^{-\frac{3}{2}}
\end{aligned}$$

Multiplying by  $2x$

$$\begin{aligned}
2x \frac{dy}{dx} &= 2x \left( \frac{1}{2} x^{-\frac{1}{2}} \right) + 2x \left( \frac{1}{2} x^{-\frac{3}{2}} \right) \Rightarrow 2x \frac{dy}{dx} = x^{-\frac{1}{2}+1} + x^{-\frac{3}{2}+1} \\
2x \frac{dy}{dx} &= x^{\frac{1}{2}} + x^{-\frac{1}{2}}
\end{aligned}$$

Adding  $y$  on both sides

$$\begin{aligned}
2x \frac{dy}{dx} + y &= x^{\frac{1}{2}} + x^{-\frac{1}{2}} + y \\
\Rightarrow 2x \frac{dy}{dx} + y &= x^{\frac{1}{2}} + x^{-\frac{1}{2}} + x^{\frac{1}{2}} - x^{-\frac{1}{2}} \quad \because y = x^{\frac{1}{2}} - x^{-\frac{1}{2}} \\
\Rightarrow 2x \frac{dy}{dx} + y &= 2x^{\frac{1}{2}} \quad \Rightarrow 2x \frac{dy}{dx} + y = 2\sqrt{x} \quad \text{Proved}
\end{aligned}$$


---

### Question # 17

If  $y = x^4 + 2x^2 + 2$ , prove that  $\frac{dy}{dx} = 4x\sqrt{y-1}$

**Solution** Since  $y = x^4 + 2x^2 + 2$

$$\begin{aligned} \text{Now } \frac{dy}{dx} &= \frac{d}{dx}(x^4 + 2x^2 + 2) \\ \Rightarrow \frac{dy}{dx} &= 4x^{4-1} + 2(2x^{2-1}) + 0 \\ &= 4x^3 + 4x \\ \Rightarrow \frac{dy}{dx} &= 4x(x^2 + 1) \dots\dots\dots \text{(i)} \end{aligned}$$

$$\begin{aligned} \text{Now } y &= x^4 + 2x^2 + 2 \\ \Rightarrow y-1 &= x^4 + 2x^2 + 2 - 1 \\ &= x^4 + 2x^2 + 1 = (x^2 + 1)^2 \\ \Rightarrow \sqrt{y-1} &= (x^2 + 1) \quad \text{i.e. } (x^2 + 1) = \sqrt{y-1} \end{aligned}$$

Using it in eq. (i), we have

$$\Rightarrow \frac{dy}{dx} = 4x\sqrt{y-1} \quad \text{as required.}$$


---

<b>Error Analyst</b>
Sarmad Khan - talal2006_sarmad@yahoo.com

<http://www.MathCity.org>

Become an Error analyst, submit errors at <http://www.mathcity.org/errors>

If you have any question or do you want discuss anything just go to

**Book:**

**Exercise 2.3**

*Calculus and Analytic Geometry Mathematic 12*

*Punjab Textbook Board, Lahore.*

*Edition: May 2013.*

*Available online at <http://www.MathCity.org> in PDF Format  
(Picture format to view online).*

*Updated: September, 13, 2017.*



These resources are shared under the licence Attribution-  
NonCommercial-NoDerivatives 4.0 International  
<https://creativecommons.org/licenses/by-nc-nd/4.0/>  
Under this licence if you remix, transform, or build upon the material, you may not distribute the modified material.